

# ForceField® SoilBlaster Pro - Concentrate

## SAFETY DATA SHEET

### SECTION 1 - CHEMICAL AND COMPANY IDENTIFICATION:

Product Name: SoilBlaster Pro – Concentrate Date Printed: 10/2/2018
Product Use/Class: General Purpose Fiber/Fabric Cleaning Solution Product ID: F SOILC

Supplier: Shield Industries, Inc.

Address: 131 Smokehill Lane

Manufacturer: Shield Industries, Inc.

Address: 131 Smokehill Lane

Woodstock, GA 30188 - USA Woodstock, GA 30188 - USA

Telephone: 770-517-6869 24 Hour Emergency Hotline: 800-535-5053

### **SECTION 2 – HAZARD IDENTIFICATION:**

Physical hazards: Not applicable ------

**Health hazards:** Skin sensitization Category 1 Eye damage Category 1

**Environmental hazards:** Toxic to aquatic life. (H401)

**OSHA defined hazards:** Not classified.

**Label elements:** 

Signal word: Danger

**Hazard statement** May cause an allergic skin reaction. (H317)

Causes serious eye damage. (H318) May cause respiratory irritation. (H335)

### **Precautionary statements:**

**Prevention:** Wear protective gloves/protective clothing/eye protection/face

protection. (P280)

Wash hands and exposed skin thoroughly after handing. (P264) Avoid breathing dust/fume/gas/mist/vapours/spray. (P261)

Contaminated work clothing should not be allowed out of the workplace (P272)

**Response:** IF SWALLOWED: Get medical advice/attention. (P301 + P313)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305 + P351 + P338)

**Storage:** Keep out of reach of children. (P102)

**Disposal:** Dispose of contents/container to an approved waste disposal plant. (P501)

Hazard(s) not otherwise

**classified (HNOC):** None.

**Supplemental information:** None.

### SECTION 3 COMPOSITION/INFORMATION ON COMPONENTS

<u>COMPONENTS</u>	<b>CAS NUMBER</b>	<u>%</u>
Water	7732-18-5	60 - 76 %
Diethylene Glycol Monobutyl ether	112-34-5	10 - 20 %
Ethylenediaminetetracetic Acid, Sodium	1 - 3 %	
Proprietary polymer(s)	Trade Secret*	5 - 10 %
Nonionic surfactant(s)	Trade Secret*	5 - 10 %
Proprietary preservative	Trade Secret*	0.1 - 0.5 %
Fluorinated anionic surfactants	Trade Secret*	0.5 - 1.0 %
Fragrance Compound	N/A (Mixture)	0.1-0.5 %

<sup>\*</sup> Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### **Additional Information:**

Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below:

None

### SECTION 4 FIRST AID MEASURES

**Inhalation:** Move person to fresh air and keep at rest in a position comfortable for

breathing. If breathing is labored, administer oxygen. If symptoms develop, obtain

medical attention.

**Skin contact:** If on skin, wash thoroughly with soap and water. If skin irritation or rash occurs: Get

medical advice/attention. Take off contaminated clothing and wash before reuse.

**Eve contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Keep eyes wide open and continue rinsing. Get immediate medical

attention.

**Ingestion:** Keep respiratory tract clear. Do NOT induce vomiting. Never give anything by

mouth to an unconscious person. Seek medical attention immediately.

## Most important symptoms/effects, acute and delayed:

Causes serious eye irritation. May cause an allergic skin reaction. May cause respiratory irritation.

2

#### **Indication of immediate medical attention and special treatment needed:**

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

#### General information:

Move affected persons from dangerous area. Do not leave victim unattended. Ensure that medical personnel are aware of the material(s) involved. Show this safety data sheet to the doctor in attendance.

### SECTION 5 FIRE FIGHTING MEASURES

#### Suitable extinguishing media:

Non-combustible. Use media appropriate for surrounding fire.

## **Unsuitable extinguishing media:**

Do not use water jet.

## Specific hazards arising from the chemical:

Combustion or thermal decomposition will evolve toxic and/or irritant vapours. Forms fumes of oxides of carbon, nitrogen, sulfur, phosphorus and toxic products such as hydrogen fluoride and other fluorinated compounds.

## Special protective equipment and precautions for firefighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and self-contained breathing apparatus (SCBA).

### Fire-fighting equipment/instructions:

Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapour pressure build up.

## **Specific methods:**

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

#### **General fire hazards:**

None known.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not get in eyes. Avoid skin contact. Do not breathe vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

#### **Environmental precautions:**

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel and authorities of all environmental releases.

#### Methods and materials for containment and cleaning up:

Contain spillages and then collect with sand, earth, diatomaceous earth, vermiculite, or any other suitable adsorbent material. Collect spillage. Transfer to a container for disposal or recovery. Following product recovery, flush area with water. If possible prevent water running into sewers. For waste disposal, see section 13 of the SDS.

#### SECTION 7 HANDLING AND STORAGE

### **Precautions for safe handling:**

Use product in a well-ventilated area only. Avoid contact with skin and eyes. Wear appropriate personal protective equipment. Smoking, eating and drinking should be prohibited in the application area. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

## Advice on protection against fire and explosion:

None – Product is non-combustible

#### Conditions for safe storage, including any incompatibilities:

Keep container tightly closed in a dry and well-ventilated place. Keep cool. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Avoid storing in the presence of oxidizing or reducing agents. Protect from sunlight.

#### SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational exposure limits:

## **US. ACGIH Threshold Limit Values**

Components CAS Type Value

None

## **Appropriate engineering controls:**

Not normally required.

## Individual protection measures, such as personal protective equipment:

#### **Eye/face protection:**

Wear safety glasses with side shields (or goggles).

## **Hand protection:**

Wear appropriate chemical resistant gloves (Butyl rubber, Neoprene, or Natural rubber). Check with protective equipment manufacturer's data.

### **Skin protection/Other:**

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

### **Respiratory protection:**

Not normally required. In case of insufficient ventilation, wear suitable respiratory equipment. Check with protective equipment manufacturer's data.

### Thermal hazards:

Not normally required.

## General hygiene considerations:

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### **Environmental exposure controls:**

Do not allow to enter drains, sewers or waterways. Avoid release to the environment. Material is very toxic to aquatic life with long lasting effects.

#### SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Physical state: Liquid Form: Liquid

**Color:** Clear to slightly hazy, pale yellow color

**Odor:** Characteristic, Mild, Fruity

Odor threshold:Not available.pH:8.0-9.0Melting point/freezing point:Not available.Initial boiling point and boiling range $100 \,^{\circ}$ C estimatedFlash point:Non-combustible

**Evaporation rate:** Approximately 1 (water = 1)

Flammability (solid, gas): Not applicable.

**Upper/lower flammability or explosive limits:** 

Flammability limit – lower (%): Not available. Flammability limit – upper (%): Not available. **Explosive limit - lower (%):** Not available. **Explosive limit - upper (%):** Not available. Vapor pressure: Not available. **Relative Vapor density:** Not available. **Relative density:** 1.03 + / - 0.02**Solubility (water):** Soluble **Partition coefficient (n-octanol/water):** Not available. **Auto-ignition temperature:** Not applicable. **Decomposition temperature:** Not available. Viscosity (kinematic cSt @ 40 °C): Not available. **Explosive properties:** Not explosive. **Oxidizing properties:** Not oxidizing.

**Other information:** None.

#### SECTION 10 STABILITY AND REACTIVITY

#### Reactivity:

The product is stable and non-reactive under normal ambient conditions of use, storage and transport.

### **Chemical stability:**

Material is stable under normal conditions.

## Possibility of hazardous reactions:

None anticipated.

#### Conditions to avoid:

Avoid contact with heat, ignition sources, and incompatible materials.

## **Incompatible materials:**

Strong oxidizing or reducing agents.

## **Hazardous decomposition products:**

At temperatures over 200 C, or under fire conditions, thermal decomposition will evolve toxic and irritant vapours. Forms: oxides of carbon, nitrogen, sulfur, phosphorus and toxic products such as hydrogen fluoride and other fluorinated organic compounds.

5

### SECTION 11 TOXICOLOGICAL INFORMATION

### **Information on likely routes of exposure:**

**Inhalation:** May cause mild irritation to respiratory tract.

**Skin contact:** May cause allergic skin reaction. **Eye contact:** Causes serious eye damage.

### Symptoms related to the physical, chemical and toxicological characteristics:

May cause irritation of nose and throat. Eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and/or degreasing of skin.

## **Information on toxicological effects:**

**Acute toxicity:** 

Components	CAS#	Test		Species	<b>Test Results</b>
Diethylene Glyc	ol 112-34-5	Acute Oral LD50		Mouse (Fasted)	2,410 mg/kg
Monobutyl ether	ſ	Acute Oral LD50		Mouse (Fed)	1,060 mg/kg
		Inhalation Risk		Rat	29 ppm (2 hr)
		Dermal LD50		Rabbit	2,764 mg/kg
Nonionic surfactant(s)		Acute Oral LD50 Acute Dermal LD50	Rat Rabbit	>2000 m >2000 m	0 0
surractant(s)		redic Bernar EB30	Rubbit	> 2000 H	16/ K5
Proprietary		Acute Oral LD50	Rat	670 m	ıg/kg
Preservative		Acute Dermal LD50	Rabbit	>2000 m	ng/kg
Fluorinated anionic surfactar	 nts	Acute Oral LD50	Rat	500-2,000 m	ng/kg

**Skin corrosion/irritation:** Causes skin irritation.

**Serious eve damage/eve irritation:** Causes serious eve damage.

Respiratory or skin sensitization:

**Respiratory sensitization:** Vapours may cause irritation.

**Skin sensitization:** This product may cause an allergic skin reaction.

Germ cell mutagenicity: No data available to indicate product or any

components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity:** This product is unlikely to present a carcinogenic

hazard to man.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

Not listed.

Repeated dose toxicity:

Component: Diethylene Glycol Monobutyl ether

Species: Rat Application Route: Oral

NOAEL: 250 mg/kg/day

Component: Ethylene glycol N-butyl ether

Species: Rat
Application Route: Inhalation
NOEL: 14 ppm

Component: Diethylene Glycol Monobutyl ether

Species: Rat Application Route: Dermal

NOEAL: <200 mg/kg/day (skin irritant)

Specific target organ toxicity - single exposure:

No data available.

**Teratogenicity:** 

No data available.

**Aspiration hazard:** 

No data available.

## SECTION 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** Very toxic to aquatic life with long lasting effects.

**Acute Toxicity:** 

Components/CAS	S Test	Species	Test Results
Nonionic	Aquatic Fish LC50	Rainbow trout	5 - 8.5 mg/l, 96 hr.
Surfactant(s)/ Trade Secret	Aquatic Crustacea EC50	Water flea (Daphnia magna)	5.3 - 10 mg/l, 72 hr.
Fluorinated anioni Surfactants/ Trade Secret	Aquatic Fish LC50 Aquatic Crustacea EC50 EC50	Zebra fish Water flea (Daphnia magna) Bacteria	10 - 100 mg/l, 96 hr. 10 - 100 mg/l, 24 hr. <1,000 mg/l

## **Long Term Toxicity:**

No data available.

Persistence and degradability:

Nonionic surfactant(s): Readily biodegradable

Fluorinated anionic surfactants: Not readily biodegradable. (<80%)

Bioaccumulative potential:

No data available.

Mobility in soil:

No data available.

Results of PBT and vPvB assessment:

Nonionic surfactant(s): Not classified as PBT or vPvB.

Fluorinated anionic surfactants: No data available.

#### Other adverse effects:

None known.

### **SECTION 13 DISPOSAL CONSIDERATIONS**

### Waste treatment/disposal instructions:

Disposal should be in accordance with local, state, or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

## Waste from residues / unused products:

Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. Dispose of in accordance with local regulations.

## **Contaminated packaging:**

Exercise caution as empty containers or liners may retain some product residues. Do not reuse empty containers. Do not burn, or use a cutting torch on, empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### SECTION 14 TRANSPORT INFORMATION

#### **DOT**

**UN number:** Not applicable

**UN proper shipping name:** Cleaning compounds N.O.S.

**Transport hazard class(es):** 

Class: Not applicable

**Subsidiary risk:** -

Label(s):Not applicablePacking group:Not applicable

**Special precautions for user:** 

Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

**Environmental hazards:** No

**Special provisions:** None Assigned

**Packaging exceptions:** 

None – Not classified as dangerous for transportation

Packaging bulk:

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

#### **IATA**

**UN number:** Not applicable

**UN proper shipping name:** Cleaning compounds N.O.S.

**Transport hazard class(es):** 

Class Not applicable

Subsidiary risk -

Label(s)Not applicablePacking groupNot applicable

**Environmental hazards** No

**ERG Code** Not applicable

**Special precautions for user:** 

Read safety instructions, SDS and emergency procedures before handling. Read Safety instructions, SDS and emergency procedures before handling.

#### Packaging bulk:

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

#### **IMDG**

**UN number:** Not applicable

**UN proper shipping name:** Cleaning compounds, n.o.s.

Transport hazard class(es):

Class: Not applicable

Subsidiary risk:

**Label(s):** Not applicable **Packing group:** Not applicable

**Environmental hazards: Marine pollutant:** No

**Special precautions for user:** 

Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

## Packaging bulk:

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

#### SECTION 15 REGULATORY INFORMATION

#### **US federal regulations:**

This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List or polymer exempt.

### TSCA Section 5 SNUR: (40 CFR 721.10536.

The Fluorinated anionic surfactants in this product are subject to an action under this section.

## **CERCLA Hazardous Substance List (40 CFR 302.4)**

No Listed materials.

### SARA 311/312 – Superfund Amendments and Reauthorization Act of 1986:

## **Hazard categories:**

Immediate Hazard Yes
Delayed Hazard Yes
Fire Hazard No
Sudden Release No
Reactivity No

### SARA 313 – Toxic Chemicals (40 CFR 372):

No Listed materials.

### **SARA 302 Threshold Planning Quantity:**

Not regulated.

### Other federal regulations:

#### Clean Air Act (CAA) Ozone-Depletion Potential:

This product neither contains, nor was manufactured with a Class I, or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App. A+B).

## **US state regulations**

#### **U.S. California Proposition 65:**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive effects.

#### **SECTION 16 OTHER INFORMATION**

NFPA RATING: HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 0

PREPARATION INFORMATION:

DATE CREATED: 01/01/06 LAST REVISION: 08/15/2018

CREATED/REVISED BY: R. Lasnik

This information relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of this information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.

### **End of SDS**